



REFER TO SHEET E001 FOR SITE CCTV CAMERA CONNECTIVITY REQUIREMENTS.



**MAIN LEVEL TECHNOLOGY PLAN**

SCALE: 1/8" = 1'-0"

**PLAN NOTES**

- P1 DATA OUTLETS TO BE INSTALLED WITHIN A IN-FLOOR DUCT SYSTEM PROVIDED BY DIVISION 26.
- P2 CEILING OUTLETS TO BE PROVIDED IN THE LAY-IN CEILING GRID. COORDINATE LOCATION WITH THE A/V EQUIPMENT SUPPLIER.
- P3 A/V EQUIPMENT CABINET PROVIDED A/V EQUIPMENT SUPPLIER.
- P4 DATA OUTLETS TO BE TERMINATED WITHIN THE A/V EQUIPMENT CABINET WITHIN A 2-PORT BISCUIT BLOCK ATTACHED TO THE REAR MOUNTING RAIL.
- P5 DATA OUTLET TO BE INSTALLED IN A JOINT USE FLOOR BOX SPECIFIED BY DIVISION 26.
- P6 OUTLET BACKBOX AND TERMINATION REQUIREMENTS TO BE COORDINATED WITH THE A/V EQUIPMENT SUPPLIER.
- P7 IN ADDITION TO THE DATA OUTLETS SHOWN, PROVIDE HDMI CONNECTIVITY TO THE MONITOR (PROVIDED BY OTHERS) LOCATION ABOVE.
- P9 PROVIDE A SINGLE GANG BACKBOX (48" MH) WITH A 1" CONDUIT ROUTED TO ABOVE THE ACCESSIBLE CEILING FOR A DOORBELL (PROVIDED BY OTHERS).
- P10 PROVIDE A SINGLE GANG BACKBOX (48" MH) WITH A 1" CONDUIT ROUTED TO ABOVE THE ACCESSIBLE CEILING FOR A LOCK DOWN RELEASE (PROVIDED BY OTHERS).
- P11 PROVIDE DATA CONNECTIVITY FOR THE VRF CONTROL PANELS. COORDINATE WITH THE VRF SUPPLIER.
- P12 DATA OUTLET TO BE UTILIZED BY THE PEOPLE COUNTING SYSTEM PROVIDED BY OTHERS.



855 Grandview Avenue, 3rd Floor Columbus, OH 43215  
 Phone: (614) 443-1178 Fax: (614) 443-1594  
 Email: dynamix@dynamix-llc.com  
 DEL # 160007

#	DATE	CHANGE DESCRIPTION
1	10/31/17	ADDENDUM #1

**MARTIN LUTHER KING JR. BRANCH LIBRARY**  
 1467 East Long Street, Columbus, Ohio 43203  
 for  
**Columbus Metropolitan Library**

300 Spruce Street  
 Suite 300  
 Columbus, Ohio 43215  
 Phone: (614) 461-4664  
 Fax: (614) 280-8881

MOODY-NOLAN  
 Dwg. Coord.: Author Tech. Coord.: Checker Proj. #13345.01

MAIN LEVEL TECHNOLOGY PLAN **T101**

Bid/Permit Set October 6, 2017